

گروه کالا صنعتی

بروشور ساید چنل


برند: SPC








SPC TRADING COMPANY

www.spc-trading.com




Vortex Gas Pumps

HG-90B




HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

吸入(indraft)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)






When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Frequency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-90B	220-240	0.51 (0.62)	50 (60)	8	30	4	0.09 (0.18)	2800 (3400)	≤60	5.2	22.6 × 20 × 21.8


The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-180B




HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

吸入(indraft)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)




When ordering, please indicate voltage and periodicity (any voltage are also ok)


型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Frequency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-180B	220-240	0.82 (0.98)	50 (60)	11	45	7	0.18 (0.25)	2800 (3400)	≤60	7	25 × 23 × 25

The data are only for reference in the form the factory does not issue a separate notice to data modification


HG-250B



HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)




When ordering, please indicate voltage and periodicity (any voltage are also ok)

型 号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-250B	220-240	1.08 (1.27)	50 (60)	13	55	9	0.25 (0.28)	2800 (3400)	≤60	8	28 × 26.5 × 28.5
HG-250SB	△ 220-240 Y 380-415	1.24 (1.68) 0.72 (0.97)	50(60)	13(15)	55(60)	9(11)	0.25(0.28)	2800 (3400)	≤60	8	28 × 26.5 × 28.5


The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-1100SB




HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

吸入(indraft)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)





When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-1100B	220-240	5.00 (5.89)	50 (60)	30	170	22	1.1 (1.3)	2800 (3400)	≤60	22.5	40.5×38×42
HG-1100SB	△ 220-240 Y 380-415	4.99(5.88) 2.89(3.42)	50(60)	30(32)	178(189)	22(24)	1.1(1.3)	2800 (3400)	≤60	22.5	40.5×38×42


The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-1500SB




HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

吸入(indraft)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)




When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Frequency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up vol- umn (cm³)
HG-1500B	220-240	7.20 (9.10)	50 (60)	32	190	23	1.5 (1.8)	2800 (3400)	≤60	23	40.5 × 38 × 42
HG-1500SB	△ 220-240 Y 380-415	6.86(8.20) 3.94(4.74)	50(60)	32(35)	195(210)	23(25)	1.5(1.8)	2800 (3400)	≤60	23	40.5 × 38 × 42


The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-2200SB



HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

吸入(indraft)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)





When ordering, please indicate voltage and periodicity (any voltage are also ok)


型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Frequency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up vol- umn (cm³)
HG-2200SB	△ 220-240 Y 380-415	10.01(11.83) 5.79(6.84)	50(60)	40(44)	222(237)	28(32)	2.2(2.6)	2800 (3400)	≤ 70	35.5	47 × 41.5 × 48

The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-3000SB



HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)





When ordering, please indicate voltage and periodicity (any voltage are also ok)


型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M ³ /h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up vol- umn (cm ³)
HG-3000SB	△ 220-240 Y 380-415	13.64(16.38) 7.89(9.47)	50(60)	40(44)	245(256)	28(32)	3.0(3.6)	2800 (3400)	≤ 70	36	47 × 41.5 × 48

The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-4000SB




HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)



the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)

吐出(disgorge)






When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise Lw dB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-4000SB	△ 220-240 Y 380-415	18.22(21.85) 10.53(12.63)	50(60)	42(46)	315(370)	30(34)	4.0(4.8)	2800 (3400)	≤70	40	47 × 41.5 × 48



The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-5500SB



HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)





When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up volumn (cm³)
HG-5500SB	△380-415	11.47 (15.37)	50 (60)	50 (55)	430 (480)	35 (39)	5.5 (6.6)	2800 (3400)	≤70	98.5	63×60×67



The data are only for reference in the form the factory does not issue a separate notice to data modification

HG-7500SB



HG系列旋涡气泵性能曲线
(仅供参考不作检测依据)

the technology parameter of the HG series vortex gas pump
(only for reference,not for test gist)



When ordering, please indicate voltage and periodicity (any voltage are also ok)

型号 Type	额定电压 Voltage V	额定电流 Current A	频率 Fre- quency Hz	最大气压 Max. air pressure KPa	最大流量 Max. flux M³/h	最大真空度 Max. vacu- um degree -KPa	电机功率 Power KW	转速 Rotate speed r/min	噪音 Noise LwadB	重量 Suttle Kg	装箱体积 box up vol- umn (cm³)
HG-7500SB	△380-415	13.56 (19.74)	50 (60)	55 (60)	450 (500)	38 (42)	7.5 (9.0)	2800 (3400)	≤70	103	103×60×69

The data are only for reference in the form the factory does not issue a separate notice to data modification



امروزه توسعه فروشگاه های اینترنتی و معرفی محصولات از طریق اینترنت باعث شده است تا رشد قابل توجهی در بهبود کیفیت ارائه خدمات فروشگاههای شکل گیرد. بزرگترین مزیت فروشگاه های اینترنتی صرفه جویی در زمان برای انتخاب بهترین محصول است. از طرفی امروزه کمتر کسی است که بدون تحقیق و بررسی مشخصات کالا، اقدام به خرید نماید و در فروشگاه های اینترنتی این مهم قابل دسترس خواهد بود. کالا صنعتی تنها یک فروشگاه اینترنتی نیست بلکه همواره سعی دارد با آموزش مشتریان از طریق برگزاری سمینارهای آموزشی و ارائه کتب راهنما آنها را در انتخاب بهترین کالا یاری نماید. استفاده از جدید ترین متدهای آموزشی، ارائه خدمات کارشناسی و آشنا کردن هر چه بیشتر مخاطبین یا کالاهای صنعتی از جمله رسالت های این مجموعه است.

هدف ما در مجموعه کالا صنعتی بهبود روز افزون کیفیت خدمات آموزشی و فروشگاههای، ارائه خدمات بر طبق برنامه زمانبندی منظم، آموزش مستمر پرسنل فروشگاههای و اینترنتی، ارائه خدمات طبق برنامه زمانبندی شده و افزایش رضایتمندی مشتریان بوده و هست. در این راستا، ضمن به خدمت گرفتن پرسنل کارآزموده و تربیت متخصصان فنی و گرفتن نمایندگی های معتبر، با ایجاد سایت فروشگاههای پیشرفته برای کالاهای صنعتی، ساختمانی و ابزار دقیق به دنبال تحقق اهداف گروه و توسعه این مجموعه فروشگاههای است.

خاطر نشان می کند، گروه کالا صنعتی با همکاری شرکت ها و گروه های تخصصی در زمینه الکتروموتور، پمپ و گیربکس در مشهد، برای طراحی، تولید و تعمیر انواع کالای صنعتی و ارسال به سراسر ایران آمادگی دارد. لذا می توانید در قسمت **ثبت سفارش خاص**، هر نوع سفارش مربوط به کالای صنعتی را ثبت کرده و با کد رهگیری آنرا تا حصول نتیجه پیگیری نمایید. همچنین سفارشات مربوط به تعمیر الکتروموتور، تعمیر پمپ صنعتی و تعمیر گیربکس را نیز می توانید در قسمت **تعمیرات** ثبت نمایید تا کارشناسان فنی پس از بررسی، با شما تماس حاصل فرمایند.

تلفن تماس: ۰۵۱ - ۳۳۴ ۹۹ ۱۰۰