



FAG



1303-TVH

Self-aligning ball bearing

Schaeffler ID:
\${ctx.productData.sapMaterialNumber}

Self-aligning ball bearing 13..-TVH, plastic cage

Technical information

**Main Dimensions & Performance Data**

d	17 mm	Bore diameter
D	47 mm	Outside diameter
B	14 mm	Width
r_{\min}	1 mm	Minimum chamfer dimension
C_r	12.900 N	Basic dynamic load rating, radial
C_{0r}	3.200 N	Basic static load rating, radial
C_{ur}	202 N	Fatigue load limit, radial
n_G	17.800 1/min	Limiting speed
n_{gr}	13.300 1/min	Reference speed
	0,065 kg	Weight

Dimensions

D_1	37 mm	Shoulder diameter outer ring
d_1	26,7 mm	Shoulder diameter inner ring

Mounting dimensions

$d_{a\min}$	22,6 mm	Minimum diameter shaft shoulder
$D_{a\max}$	41,4 mm	Maximum diameter of housing shoulder
$r_{a\max}$	1 mm	Maximum fillet radius

Calculation factors

e	0,32	Limiting value of F_a/F_r for the applicability of diff. Values of factors X and Y
Y_1	1,94	Dynamic axial load factor
Y_2	3,01	Dynamic axial load factor
Y_0	2,04	Static axial load factor

Temperature range

T_{\min}	-30 °C	Operating temperature min.
T_{\max}	120 °C	Operating temperature max.