

TopPage>>Search Result>>5216ANR

Angular Contact Ball Bearings


Bearing No. : **NACHI 5216ANR**

Bearing Type
Clearance
Tolerance Class

(0.010~0.030)

Dimensions

$d = 80$ 0
 -0.015
 $D = 140$ 0
 -0.018
 $B = 44.4$ 0
 -0.150
 $r = 2\sim 3$
 (Radial Direction)
 $r = 2\sim 4.5$
 (Axial Direction)
 $D1(\max) = 135.23$
 $a(\max) = 4.9$
 $b(\max) = 3.1$
 $D2(\max) = 149.7$
 $f(\max) = 2.82$



Dimensions
 $d_a(\min) = 90$
 $D_a(\max) = 130$
 $r_a(\max) = 2$
 $D_x(\min) = 152$
 $C_y(\max) = 7.4$
 Mass = 2.48 kg

Basic Dynamic Load Rating Cr :	97,500 N	INNER RING	OUTER RING
Basic Static Load Rating Cor :	88,500 N	O.D.Surface Runout with Side :	-
Limiting Speed ;		Axial Runout with Bore :	-
Grease Lubrication :	2,800 min ⁻¹	Axial Runout with Raceway :	-
Oil Lubrication :	4,000 min ⁻¹	Width Variation :	0.025 0.025
		Radial Runout :	0.020 0.040