


TopPage>>Search Result>>7201B

# Angular Contact Ball Bearings

Bearing No. : **NACHI 7201B**

■ Bearing Type 
■ Clearance 
■ Tolerance Class

<p>Dimensions</p> <p>d = 12<sup>0</sup><sub>-0.008</sub></p> <p>D = 32<sup>0</sup><sub>-0.011</sub></p> <p>B = 10<sup>0</sup><sub>-0.120</sub></p> <p>r = 0.6~1 (Radial Direction)</p> <p>r = 0.6~2 (Axial Direction)</p> <p>r1 = 0.3~0.6 (Radial Direction)</p> <p>r1 = 0.3~1 (Axial Direction)</p> <p>a = 4.2</p>		<p>Dimensions</p> <p>da1(min) = 17</p> <p>da2(min) = 14</p> <p>Da1(max) = 27</p> <p>Da2(max) = 29.4</p> <p>ra(max) = 0.6</p> <p>ra1(max) = 0.3</p> <p>Mass = 0.04 kg</p>
---	--	--

Basic Dynamic Load Rating Cr :	<b>7,200</b> N	INNER RING	OUTER RING
Basic Static Load Rating Cor :	<b>3,800</b> N	O.D.Surface Runout with Side :	-
Limiting Speed ;		Axial Runout with Bore :	-
Grease Lubrication :	<b>17,000</b> min <sup>-1</sup>	Axial Runout with Raceway :	-
Oil Lubrication :	<b>24,000</b> min <sup>-1</sup>	Width Variation :	<b>0.020</b> <b>0.020</b>
		Radial Runout :	<b>0.010</b> <b>0.020</b>