

[TopPage](#)>>[Search Result](#)>>6014NR

Deep-groove Ball Bearings



Bearing No. : **NACHI 6014NR**

Bearing Type
Clearance
Tolerance Class

(0.010~0.030)

Dimensions

$d = 70$ $\begin{matrix} 0 \\ -0.015 \end{matrix}$
 $D = 110$ $\begin{matrix} 0 \\ -0.015 \end{matrix}$
 $B = 20$ $\begin{matrix} 0 \\ -0.150 \end{matrix}$
 $r = 1.1\sim 2$
 (Radial Direction)
 $r = 1.1\sim 3.5$
 (Axial Direction)
 $r_1 = 0.5\sim$
 (Radial Direction)
 $r_1 = 0.5\sim$
 (Axial Direction)
 $D_1 = 106.81$
 $a = 2.87$
 $D_2 = 116.6$
 $f = 2.46$



Dimensions
 $d_a(\min) = 76$
 $D_a(\max) = 104$
 $D_x(\min) = 118$
 $r_a(\max) = 1$
 $C_y(\max) = 5$

Basic Dynamic Load Rating C_r : **38,000** N
 Basic Static Load Rating C_{or} : **31,000** N
 Limiting Speed ;
 Grease Lubrication : **6,100** min^{-1}
 Oil Lubrication : **7,100** min^{-1}

	INNER RING	OUTER RING
O.D.Surface Runout with Side :	-	-
Axial Runout with Bore :	-	-
Axial Runout with Raceway :	-	-
Width Variation :	0.025	0.025
Radial Runout :	0.020	0.035