

TopPage>>Search Result>>1308K

# Self-aligning Ball Bearings


Bearing No. : **NACHI 1308K**

**Bearing Type** 
**Clearance** 
**Tolerance Class**

(0.019~0.035)

**Dimensions**

$d = 40$   $+0.039$   
 $0$   
 $D = 90$   $0$   
 $-0.015$   
 $B = 23$   $0$   
 $-0.120$   
 $r = 1.5 \sim 2.3$   
 (Radial Direction)  
 $r = 1.5 \sim 4$   
 (Axial Direction)



**Dimensions**

$d_a(\min) = 48$   
 $D_a(\max) = 82$   
 $r_a(\max) = 1.5$   
 Mass = 0.715 kg

Basic Dynamic Load Rating  $C_r$  : **29,500** N  
 Basic Static Load Rating  $C_{or}$  : **9,700** N  
 Limiting Speed ;  
 Grease Lubrication : **6,900**  $\text{min}^{-1}$   
 Oil Lubrication : **8,400**  $\text{min}^{-1}$

	INNER RING	OUTER RING
O.D.Surface Runout with Side :		-
Axial Runout with Bore :	-	
Axial Runout with Raceway :	-	
Width Variation :	<b>0.020</b>	<b>0.020</b>
Radial Runout :	<b>0.015</b>	<b>0.035</b>