



# 6002-2RSH Deep groove ball bearings

- Popular item

- SKF Explorer

## Deep groove ball bearings

### Bearing data

[Tolerances,](#)

Normal (metric), P6, P5, Normal (inch),

[Radial internal clearance,](#)

Matched bearing pairs, Stainless steel


$d < 10$  mm, Other bearings

### Bearing interfaces

[Seat tolerances for standard conditions,](#)

[Tolerances and resultant fits](#)

## Technical specification




### DIMENSIONS

|           |                   |                   |
|-----------|-------------------|-------------------|
| d         | 15 mm             | Bore diameter     |
| D         | 32 mm             | Outside diameter  |
| B         | 9 mm              | Width             |
| $d_2$     | $\approx 18.3$ mm | Recess diameter   |
| $D_2$     | $\approx 28.2$ mm | Recess diameter   |
| $r_{1,2}$ | min. 0.3 mm       | Chamfer dimension |

### ABUTMENT DIMENSIONS

|                             |                                   |
|-----------------------------|-----------------------------------|
| $d_{\epsilon}$ min. 17 mm   | Diameter of shaft abutment        |
| $d_{\epsilon}$ max. 18.5 mm | Diameter of shaft abutment        |
| $D_{\epsilon}$ max. 30 mm   | Diameter of housing abutment      |
| $r_a$ max. 0.3 mm           | Radius of shaft or housing fillet |



## CALCULATION DATA

|                |              |                           |
|----------------|--------------|---------------------------|
| C              | 5.85 kN      | Basic dynamic load rating |
| C <sub>0</sub> | 2.85 kN      | Basic static load rating  |
| P <sub>u</sub> | 0.12 kN      | Fatigue load limit        |
|                | 14 000 r/min | Limiting speed            |
| k <sub>r</sub> | 0.025        | Minimum load factor       |
| f <sub>0</sub> | 14           | Calculation factor        |

## MASS

|  |         |              |
|--|---------|--------------|
|  | 0.03 kg | Mass bearing |
|--|---------|--------------|

## TOLERANCE CLASS

|    |                        |
|----|------------------------|
| P6 | Dimensional tolerances |
| P5 | Radial run-out         |