



6028-RS1 Deep groove ball bearings

Deep groove ball bearings

Bearing data

[Tolerances](#),

Normal (metric), P6, P5, Normal (inch),

[Radial internal clearance](#),


Matched bearing pairs, Stainless steel
d < 10 mm, Other bearings

Bearing interfaces

[Seat tolerances for standard conditions](#),

[Tolerances and resultant fits](#)

Technical specification




DIMENSIONS

d	140 mm	Bore diameter
D	210 mm	Outside diameter
B	33 mm	Width
d ₁	≈ 162.6 mm	Shoulder diameter
D ₂	≈ 191.5 mm	Recess diameter
r _{1,2}	min. 2 mm	Chamfer dimension

ABUTMENT DIMENSIONS

d _ε min.	149 mm	Diameter of shaft abutment
d _ε max.	162 mm	Diameter of shaft abutment
D _i max.	201 mm	Diameter of housing abutment
r _a max.	2 mm	Radius of shaft or housing fillet



CALCULATION DATA

C	111 kN	Basic dynamic load rating
C ₀	108 kN	Basic static load rating
P _u	3.45 kN	Fatigue load limit
	1 800 r/min	Limiting speed
k _r	0.025	Minimum load factor
f ₀	16	Calculation factor

MASS

	3.53 kg	Mass bearing
--	---------	--------------

TOLERANCE CLASS

Normal	Dimensional tolerances
Normal	Radial run-out