


51124 Thrust ball bearings, single direction

Thrust ball bearings, single direction

Bearing data Tolerances, table 1 Bearing interfaces
Seat tolerances for standard conditions,


Tolerances and resultant fit

Technical specification



DIMENSIONS

d	120 mm	Bore diameter
D	155 mm	Outside diameter
Н	25 mm	Height
d_1	≈ 155 mm	Outside diameter shaft washer
D_1	≈ 122 mm	Inner diameter housing washer
r _{1,2}	min. 1 mm	Chamfer dimension washer



ABUTMENT DIMENSIONS

d _a min. 141 mm	Abutment diameter shaft
D ₂ max. 134 mm	Abutment diameter housing
r _a max. 1 mm	Fillet radius





CALCULATION DATA

С	85.2 kN	Basic dynamic load rating
C_0	305 kN	Basic static load rating
P _u	9.65 kN	Fatigue load limit
	2 200 r/min	Reference speed
	3 000 r/min	Limiting speed
Α	0.58	Minimum load factor

MASS

1.15 kg Mass bearing (including seat washer where applicable)

More information

Engineering information	Tools
Principles of rolling bearing selection	Bearing Select
General bearing knowledge	Engineering Calculator
Bearing selection process	SimPro Quick
Bearing interfaces	LubeSelect for SKF greases
Seat tolerances for	Heater selection tool
standard conditions	
Lubrication	
External sealing, mounting and dismounting	
Bearing failure and how to prevent it	
	Selection General bearing knowledge Bearing selection process Bearing interfaces Seat tolerances for standard conditions Lubrication External sealing, mounting and dismounting Bearing failure and how to

