



The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number 6001-2RS-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

Clearance	C0 (Normal)
Bore Size d	12.000 mm
Features	Contact Seals With Snap Ring
Bearing Type	Standard DGBB
Weight	0.020 Kg

Dimensions

Outside Diameter D	28.000 mm
Outside Ring Width B	8.000 mm




Radius Rs min	0.300 mm
Snap Ring Diameter D2 max	30.800 mm
Snap Ring Width f max	0.850 mm

Basic Load Ratings

Cr - Dynamic Load Rating	5.1 kN
C0r - Static Load Rating	2.4 kN

Factors

Grease Reference Speed	23000 rpm
Oil Reference Speed	33000 rpm



METRIC UNITS

Weight 0.02 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6001-2RS-NR
Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating 5100 N
Static Load Rating 2400 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY