

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000 E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6003-2RZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications -				
	Clearance	C0 (Normal)		
	Bore Size d	17.000 mm		
	Features	Non-Contact Seals		
	Bearing Type	Standard DGBB		
	Weight	0.040 Kg		

Dimensions		-
Outside Diameter D	35.000 mm	
utside Ring Width B	10.000 mm	

Radius Rs min 0).300 mm
-----------------	----------

Basic Load Ratings		-
Cr - Dynamic Load Rating	6 kN	
COr - Static Load Rating	3.3 kN	

Factors		-
Grease Reference Speed	19000 rpm	
Oil Reference Speed	28000 rpm	



METRIC UNITS

Weight 0.02 k

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6003-2RZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 4600 2000

Ν

no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.