

## **The Timken Company** 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6003-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications -						
	Clearance	C3				
	Bore Size d	17.000 mm				
	Features	Open				
	Bearing Type	Standard DGBB				
	Weight	0.040 Kg				
	Manufacturing Part Number	6003C3				

Dimensions		-
utside Diameter D	35.000 mm	

Outside Ring Width B	10.000 mm
Radius Rs min	0.300 mm

Basic Load Ratings		-
Cr - Dynamic Load Rating	6 kN	
C0r - Static Load Rating	3.3 kN	

Grease Reference Speed 19000 rpm	
Oil Reference Speed 28000 rpm	



**METRIC UNITS** 

Weight 0.04 k

6003-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 6000 N 3300 N

it no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.