

## **The Timken Company** 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6004-2RS-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications				
	Clearance	C0 (Normal)		
	Bore Size d	20.000 mm		
	Features	Contact Seals With Snap Ring		
	Bearing Type	Standard DGBB		
	Weight	0.070 Kg		
	Manufacturing Part Number	6004-2RSNR		

Dimensions		-
utside Diameter D	42.000 mm	




Outside Ring Width B	12.000 mm
Radius Rs min	0.600 mm
Snap Ring Diameter D2 max	46.300 mm
Snap Ring Width f max	1.120 mm

Cr - Dynamic Load Rating 9.4 kN	Bas	sic Load Ratings		-
		Cr - Dynamic Load Rating	9.4 kN	
COr - Static Load Rating 5 kN		C0r - Static Load Rating	5 kN	

Fac	ctors		-
	Grease Reference Speed	17000 rpm	
	Oil Reference Speed	25000 rpm	





METRIC UNITS

Weight 0.07 kg

## THE TIMKEN COMPANY NORTH CANTON, OHIO USA

## 6004-2RS-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 9400 N 5000 N

no l

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.