

## The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6005-Z-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications				
	Clearance	C3		
	Bore Size d	25.000 mm		
	Features	One Shield		
	Bearing Type	Standard DGBB		
	Weight	0.080 Kg		
	Manufacturing Part Number	6005ZC3		

Dimensions		-
utside Diameter D	47.000 mm	




Outside Ring Width B	12.000 mm
Radius Rs min	0.600 mm

Bas	sic Load Ratings		-
	Cr - Dynamic Load Rating	10.1 kN	
	COr - Static Load Rating	5.8 kN	

Fac	tors		-
	Grease Reference Speed	14000 rpm	
	Oil Reference Speed	21000 rpm	





**METRIC UNITS** 

Weight 0.08 kg

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6005-Z-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 10100 N 5800 N

no **r** 

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.