

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6005-ZZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –				
	Clearance	C0 (Normal)		
	Bore Size d	25.000 mm		
	Features	Shields		
	Bearing Type	Standard DGBB		
	Weight	0.080 Kg		

Dim	nensions		-
	Outside Diameter D	47.000 mm	
	utside Ring Width B	12.000 mm	




Radius Rs min	0.600 mm
---------------	----------

Basic Load Ratings –				
	Cr - Dynamic Load Rating	10.1 kN		
	COr - Static Load Rating	5.8 kN		

Factors		-
Grease Reference Speed	14000 rpm	
Oil Reference Speed	21000 rpm	





METRIC UNITS

0.08 Weight

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6005-ZZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating

10100 5800

Ν

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.