

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6008, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –				
	Clearance	C0 (Normal)		
	Bore Size d	40.000 mm		
	Features	Open		
	Bearing Type	Standard DGBB		
	Weight	0.190 Kg		

Dime	nsions		-
	Outside Diameter D	68.000 mm	
(T)	utside Ring Width B	15.000 mm	




Radius Rs min	1.000 mm
---------------	----------

Bas	sic Load Ratings			-
	Cr - Dynamic Load Rating	16.8 kN		
	COr - Static Load Rating	11.5 kN		

Factors			-
Grease Refe	rence Speed	10000 rpm	
Oil Reference	e Speed	15000 rpm	





METRIC UNITS

0.19 Weight

6008 Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

Dynamic Load Rating

16800 11500 Ν

Static Load Rating

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY