

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000
E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6014-2RZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –				
	Clearance	C0 (Normal)		
	Bore Size d	70.000 mm		
	Features	Non-Contact Seals		
	Bearing Type	Standard DGBB		
	Weight	0.57 Kg		


Dim	ensions		-
	Outside Diameter D	110.000 mm	
(i	utside Ring Width B	20.000 mm	



Cr - Dynamic Load Rating 38.6 kN C0r - Static Load Rating 30.4 kN	Basic Load Ratings				
COr - Static Load Rating 30.4 kN	Cr - Dynamic I	oad Rating	38.6 kN		
	C0r - Static Lo	ad Rating	30.4 kN		

Fac	ctors		-
	Grease Reference Speed	6400 rpm	
	Oil Reference Speed	9300 rpm	





METRIC UNITS

Weight 0.02

THE TIMKEN COMPANY

NORTH CANTON, OHIO USA

6014-2RZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating

4600 2000

FOR DISCUSSION ONLY