

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6014-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Spe	Specifications –				
	Clearance	C0 (Normal)			
	Bore Size d	70.000 mm			
	Features	Snap Ring			
	Bearing Type	Standard DGBB			
	Weight	0.57 Kg			

Dimensions			-
Outside Dia	neter D	110.000 mm	
utside Ring	g Width B	20.000 mm	




Radius Rs min	1.100 mm
Snap Ring Diameter D2 max	116.600 mm
Snap Ring Width f max	2.460 mm

Ba	Basic Load Ratings -					
	Cr - Dynamic Load Rating	38.6 kN				
	COr - Static Load Rating	30.4 kN				

Factors		-
Grease Reference Speed	6400 rpm	
Oil Reference Speed	9300 rpm	





METRIC UNITS

Weight 0.57 kg

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6014-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 38100 30400

ıt no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.