

## The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720 Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6016-2RS, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –				
Cle	earance	C0 (Normal)		
	re Size d	80.000 mm		
	atures	Contact Seals		
Be	aring Type	Standard DGBB		
	eight	0.82 Kg		
		5.52 . 56		

Dimensions		- )
Outside Diameter D	125.000 mm	
utside Ring Width B	22.000 mm	




Radius Rs min 1	100 mm
-----------------	--------

Cr - Dynamic Load Rating 47.5 kN	
COr - Static Load Rating 39.8 kN	

Factors		-
Grease Reference Speed	5800 rpm	
Oil Reference Speed	8400 rpm	





## **METRIC UNITS**

Weight 0.82 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6016-2RS

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 47500 N 39700 N

no **r** 

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.