

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6016-ZZ-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications -				
	Clearance	C3		
	Bore Size d	80.000 mm		
	Features	Shields		
	Bearing Type	Standard DGBB		
	Weight	0.82 Kg		
	Manufacturing Part Number	6016-ZZC3		

Dimensions		-
utside Diameter D	125.000 mm	




Outside Ring Width B	22.000 mm
Radius Rs min	1.100 mm

Basic Load Ratings		-
Cr - Dynamic Load Rating	47.5 kN	
COr - Static Load Rating	39.8 kN	

Fac	tors		-
	Grease Reference Speed	5800 rpm	
	Oil Reference Speed	8400 rpm	





METRIC UNITS

Weight 0.82 kg

6016-ZZ-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 47500 39700

Ν

ut no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.