

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6018-2RS-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications				
	Clearance	C3		
	Bore Size d	90.000 mm		
	Features	Contact Seals		
	Bearing Type	Standard DGBB		
	Weight	1.120 Kg		
	Manufacturing Part Number	6018-2RSC3		

Dimensions		-
utside Diameter D	140.000 mm	




Outside Ring Width B	24.000 mm
Radius Rs min	1.500 mm

Bas	sic Load Ratings		-
	Cr - Dynamic Load Rating	58 kN	
	COr - Static Load Rating	50.6 kN	

Fac	ctors		-
	Grease Reference Speed	5300 rpm	
	Oil Reference Speed	7600 rpm	





METRIC UNITS

6018-2RS-C3 Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Weight 1.12 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

58000 N 49600 N

Dynamic Load Rating Static Load Rating

49600

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY