

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6018-RS, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –				
Clear	ance	C0 (Normal)		
Bore S	Size d	90.000 mm		
Featu	res	One Contact Seal		
Beari	ng Type	Standard DGBB		
Weigl	nt	1.120 Kg		
Manu	facturing Part Number	6018RS		

Dimensions	-
utside Diameter D	140.000 mm




Outside Ring Width B	24.000 mm
Radius Rs min	1.500 mm

Bas	sic Load Ratings		-
	Cr - Dynamic Load Rating	58 kN	
	COr - Static Load Rating	50.6 kN	

Fac	ctors		-
	Grease Reference Speed	5300 rpm	
	Oil Reference Speed	7600 rpm	





METRIC UNITS

Weight 1.12 kg

6018-RS

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY

NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 58000 N 50600 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY