

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6020-ZZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –					
	Clearance	C0 (Normal)			
	Bore Size d	100.000 mm			
	Features	Shields			
	Bearing Type	Standard DGBB			
	Weight	1.25 Kg			

Dimensi	ons		-
Ou	tside Diameter D	150.000 mm	
(T)u	tside Ring Width B	24.000 mm	




Radius Rs min	1.500 mm
---------------	----------

Basic Load Ratings –				
	Cr - Dynamic Load Rating	60.2 kN		
	COr - Static Load Rating	54.2 kN		

Fac	tors		-
	Grease Reference Speed	4800 rpm	
	Oil Reference Speed	6900 rpm	





METRIC UNITS

Weight 1.25 kg

6020-ZZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 60100 54200

ut no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.