

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6024-Z-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –					
	Clearance	C3			
	Bore Size d	120.000 mm			
	Features	One Shield			
	Bearing Type	Standard DGBB			
	Weight	2.03 Kg			
	Manufacturing Part Number	6024ZC3			

Dimensions		-
utside Diameter D	180.000 mm	




Outside Ring Width B	28.000 mm
Radius Rs min	2.000 mm

Bas	sic Load Ratings	-
	Cr - Dynamic Load Rating	88.1 kN
	COr - Static Load Rating	79.3 kN

Fac	tors		-
	Grease Reference Speed	4200 rpm	
	Oil Reference Speed	6100 rpm	





METRIC UNITS

Weight 2.03 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6024-Z-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 88100 79300

Ν

no r

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.