

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6026-N-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications -					
	Clearance	C3			
	Bore Size d	130.000 mm			
	Features	O.D. Groove			
	Bearing Type	Standard DGBB			
	Weight	3.15 Kg			

Dimensions		-
Outside Diameter D	200.000 mm	
utside Ring Width B	33.000 mm	




Radius Rs min	2.000 mm
---------------	----------

Cr - Dynamic Load Rating 105 kN C0r - Static Load Rating 96.8 kN	Basic Load Ratings		-
COr - Static Load Rating 96.8 kN	Cr - Dynamic Load Rating	105 kN	
	COr - Static Load Rating	96.8 kN	

Fac	ctors		-
	Grease Reference Speed	4100 rpm	
	Oil Reference Speed	5900 rpm	





METRIC UNITS

Weight 3.15 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6026-N-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 105000 96800

Ν

t no

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.