فروشگاه کالا صنعتی www.kalasanati.com کالا صنعتی تنها یک فروشگاه نیست! آموزش، انتخاب، خرید



## Part Number 6028-C5, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## Specifications | Dimensions | Basic Load Ratings | Factors

| Specifications – |                           |               |  |  |
|------------------|---------------------------|---------------|--|--|
|                  | Clearance                 | C5            |  |  |
|                  | Clearance                 | 65            |  |  |
|                  | Bore Size d               | 140.000 mm    |  |  |
|                  | Features                  | Open          |  |  |
|                  | Bearing Type              | Standard DGBB |  |  |
|                  | Weight                    | 3.5 Kg        |  |  |
|                  | Manufacturing Part Number | 6028C5        |  |  |

## Dimensions



210.000 mm

|                    |                          |           | 8/26/2021   Page 2 of 2 |  |
|--------------------|--------------------------|-----------|-------------------------|--|
|                    | Outside Ring Width B     | 33.000 mm |                         |  |
|                    | Radius Rs min            | 2.000 mm  |                         |  |
|                    |                          |           |                         |  |
| Basic Load Ratings |                          |           |                         |  |
|                    | Cr - Dynamic Load Rating | 110 kN    |                         |  |
|                    | COr - Static Load Rating | 101.8 kN  |                         |  |
|                    |                          |           |                         |  |
| Factors –          |                          |           |                         |  |
|                    |                          |           |                         |  |
|                    | Grease Reference Speed   | 3800 rpm  |                         |  |
|                    | Oil Reference Speed      | 5600 rpm  |                         |  |
|                    |                          |           |                         |  |



