

TIMKEN**The Timken Company**

4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • Web site: www.timken.com**Part Number 6028-ZZ-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)**

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

Clearance	C3
Bore Size d	140.000 mm
Features	Shields
Bearing Type	Standard DGBB
Weight	3.5 Kg

Dimensions

Outside Diameter D	210.000 mm
Outside Ring Width B	33.000 mm



Radius Rs min	2.000 mm
---------------	----------

Basic Load Ratings


Cr - Dynamic Load Rating	110 kN
--------------------------	--------

C0r - Static Load Rating	101.8 kN
--------------------------	----------

Factors

Grease Reference Speed	3800 rpm
------------------------	----------

Oil Reference Speed	5600 rpm
---------------------	----------



METRIC UNITS

Weight 3.5 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6028-ZZ-C3
Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating 110000 N
Static Load Rating 108600 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY