

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6028-ZZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –					
	Clearance	C0 (Normal)			
	Bore Size d	140.000 mm			
	Features	Shields			
	Bearing Type	Standard DGBB			
	Weight	3.5 Kg			

Din	nensions		-
	Outside Diameter D	210.000 mm	
	utside Ring Width B	33.000 mm	




Radius Rs min	2.000 mm
---------------	----------

Basic Load Ratings -					
	Cr - Dynamic Load Rating	110 kN			
	COr - Static Load Rating	101.8 kN			

Grease Reference Speed 3800 rpm	
Oil Reference Speed 5600 rpm	





METRIC UNITS

6028-ZZ Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Weight 3.5

NORTH CANTON, OHIO USA

THE TIMKEN COMPANY

Dynamic Load Rating Static Load Rating

110000 108600

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY