

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720 Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6032-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications		-
Clearance	C3	
Bore Size d	160.000 mm	
Features	Open	
Bearing Type	Standard DGBB	
Weight	5.150 Kg	

Din	nensions		-
	Outside Diameter D	240.000 mm	
	utside Ring Width B	38.000 mm	




Radius Rs min	2.100 mm
---------------	----------

Cr - Dynamic Load Rating 136.6 kN C0r - Static Load Rating 135.4 kN	Bas	sic Load Ratings			-
COr - Static Load Rating 135.4 kN		Cr - Dynamic Load Rating	136.6 kN		
		COr - Static Load Rating	135.4 kN		

Factors		-
Grease Reference Speed	3500 rpm	
Oil Reference Speed	5100 rpm	





METRIC UNITS

Weight 5.15 kg

6032-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

THE TIMKEN COMPANY

NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 137000 N 135000 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY