

## The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6032-ZZ-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –			
	Clearance	C3	
	Bore Size d	160.000 mm	
	Features	Shields	
	Bearing Type	Standard DGBB	
	Weight	5.150 Kg	

Dimensions		-
Outside Diameter D	240.000 mm	
utside Ring Width B	38.000 mm	




Radius Rs min	2.100 mm
---------------	----------

Bas	sic Load Ratings	-
	Cr - Dynamic Load Rating	136.6 kN
	COr - Static Load Rating	135.4 kN

Factors	
Grease Reference Speed 3500 rpm	
Oil Reference Speed 5100 rpm	





## **METRIC UNITS**

Weight 5.15

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

6032-ZZ-C3

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

Dynamic Load Rating Static Load Rating 137000 135000

Static Load Rating

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.