



The Timken Company

4500 Mt Pleasant St. NW


N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • Web site: www.timken.com

Part Number 61807-2RS-C3, Thin Section Ball Bearings (61700, 61800, 61900)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

Clearance	C3
Bore Size d	35.000 mm
Features	Contact Seals
Weight	0.0270 Kg

Dimensions

Outside Diameter D	47.000 mm
Outside Ring Width B	7.000 mm
Radius Rs min	0.300 mm



Basic Load Ratings


Cr - Dynamic Load Rating	4.7 kN
--------------------------	--------

C0r - Static Load Rating	3.8 kN
--------------------------	--------

Factors

Grease Limiting Speed	13000 rpm
-----------------------	-----------

Oil Limiting Speed	16000 rpm
--------------------	-----------



METRIC UNITS

Weight 0.027 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

61807-2RS-C3
Thin Section Ball Bearings (61700, 61800, 61900)

Dynamic Load Rating	4700	N
Static Load Rating	3800	N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY