

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6200-Z, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Spe	Specifications -		
	Clearance	C0 (Normal)	
	Bore Size d	10.000 mm	
	Features	One Shield	
	Bearing Type	Standard DGBB	
	Weight	0.030 Kg	
	Manufacturing Part Number	6200Z	
	Bore Size d Features Bearing Type Weight	10.000 mm One Shield Standard DGBB 0.030 Kg	

Dimensions		-
utside Diameter D	30.000 mm	




Outside Ring Width B	9.000 mm
Radius Rs min	0.600 mm

Bas	sic Load Ratings		-
	Cr - Dynamic Load Rating	5.1 kN	
	C0r - Static Load Rating	2.4 kN	

Fac	tors		-
	Grease Reference Speed	22000 rpm	
	Oil Reference Speed	32000 rpm	





METRIC UNITS

Weight 0.03 k

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6200-Z

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 5100 N 2400 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY