

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6201-ZZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –					
	Clearance	C0 (Normal)			
	Bore Size d	12.000 mm			
	Features	Shields			
	Bearing Type	Standard DGBB			
	Weight	0.040 Kg			

Dimensions		-
Outside Diameter D	32.000 mm	
utside Ring Width B	10.000 mm	




Radius Rs min	0.600 mm
---------------	----------

Cr - Dynamic Load Rating 6.8 kN	Basic Load Ratings		-
	Cr - Dynamic Load Rating	6.8 kN	
COr - Static Load Rating 3 kN	COr - Static Load Rating	3 kN	

Factors		-
Grease Reference Speed	21000 rpm	
Oil Reference Speed	30000 rpm	





METRIC UNITS

Weight 0.04 k

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6201-ZZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 6800 N 3000 N

no E

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.