

## The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6206-2RS-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –						
	Clearance	C0 (Normal)				
	Bore Size d	30.000 mm				
	Features	Contact Seals With Snap Ring				
	Bearing Type	Standard DGBB				
	Weight	0.2 Kg				

Dimensions		-
Outside Diameter D	62.000 mm	
utside Ring Width B	16.000 mm	




Radius Rs min	1.000 mm
Snap Ring Diameter D2 max	67.700 mm
Snap Ring Width f max	1.700 mm

Bas	sic Load Ratings			-
	Cr - Dynamic Load Rating	19.5 kN		
	COr - Static Load Rating	11.3 kN		

Grease Reference Speed 11000 rpm	
Oil Reference Speed 16000 rpm	





## **METRIC UNITS**

Weight 0.2 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6206-2RS-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 19500 N 11300 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY