

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6216-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications –		
	Clearance	C0 (Normal)
	Bore Size d	80.000 mm
	Features	Snap Ring
	Bearing Type	Standard DGBB
	Weight	1.4 Kg

Dimensions	nsions –		
Outside Di	ameter D	140.000 mm	
utside Ri	ng Width B	26.000 mm	




Radius Rs min	2.000 mm
Snap Ring Diameter D2 max	149.700 mm
Snap Ring Width f max	2.820 mm

Basic Load Ratings –		
Cr - Dynamic Load Rating 72	2.7 kN	
COr - Static Load Rating 53	3 kN	

Fac	ctors –		
	Grease Reference Speed	5200 rpm	
	Oil Reference Speed	7500 rpm	





METRIC UNITS

Weight 1.4 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6216-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 71500 53000

FOE

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.