

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720 Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6303-2RS-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications –				
	Clearance	C3		
	Bore Size d	17.000 mm		
	Features	Contact Seals		
	Bearing Type	Standard DGBB		
	Weight	0.120 Kg		
	Manufacturing Part Number	6303-2RSC3		

Dimensions		-
utside Diameter D	47.000 mm	

Outside Ring Width B	14.000 mm
Radius Rs min	1.000 mm

Cr - Dynamic Load Rating 13.6 kN	Basic Load Ratings		-
	Cr - Dynamic Load Rating	13.6 kN	
COr - Static Load Rating 6.6 kN	COr - Static Load Rating	6.6 kN	

Grease Reference Speed 15000 rpm	
Oil Reference Speed 22000 rpm	



METRIC UNITS

Weight 0.12

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6303-2RS-C3

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 13500 N 6600 N

no **r**

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.