

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720 Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6303-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications –				
С	learance	C0 (Normal)		
В	ore Size d	17.000 mm		
Fe	eatures	Snap Ring		
В	earing Type	Standard DGBB		
V	Veight	0.120 Kg		

Dimensions -					
	Outside Diameter D	47.000 mm			
	utside Ring Width B	14.000 mm			

Radius Rs min	1.000 mm
Snap Ring Diameter D2 max	52.700 mm
Snap Ring Width f max	1.120 mm

Ba	sic Load Ratings	-
	Cr - Dynamic Load Rating	13.6 kN
	C0r - Static Load Rating	6.6 kN

Factors -				
	Grease Reference Speed	15000 rpm		
	Oil Reference Speed	22000 rpm		



METRIC UNITS

Weight 0.12 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6303-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 13500 6600

Ν

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY