

## The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6303, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications –				
Clearanc	e	C0 (Normal)		
Bore Size	e d	17.000 mm		
Features		Open		
Bearing Typ	Гуре	Standard DGBB		
Weight		0.120 Kg		

Dimensions -						
Outside Diameter D	47.000 mm					
utside Ring Width B	14.000 mm					

Radius Rs min 1.000 mm

Basic Load Ratings		-
Cr - Dynamic Load Rating	13.6 kN	
COr - Static Load Rating	6.6 kN	

Factors		-
Grease Reference Speed	15000 rpm	
Oil Reference Speed	22000 rpm	



METRIC UNITS

Weight 0.12 kg

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6303

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 13500 N 6600 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY