

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720 Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6303-ZZ, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications -					
	Clearance	C0 (Normal)			
	Bore Size d	17.000 mm			
	Features	Shields			
	Bearing Type	Standard DGBB			
	Weight	0.120 Kg			

Dimensions		-
Outside Diamet	e r D 47.000 mm	
utside Ring W	idth B 14.000 mm	

Radius Rs min 1.000 mm

Basic Load Ratings		-
Cr - Dynamic Load Rating	13.6 kN	
COr - Static Load Rating	6.6 kN	

Factors		-
Grease Reference Speed	15000 rpm	
Oil Reference Speed	22000 rpm	



METRIC UNITS

Weight 0.12 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6303-ZZ

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 13500 N 6600 N

no F

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.