

The Timken Company 4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6336, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>

Specifications -					
	Clearance	C0 (Normal)			
	Bore Size d	180.000 mm			
	Features	Open			
	Bearing Type	Standard DGBB			
	Weight	35.600 Kg			

Dimensions		-)
Outside Diameter D	380.000 mm	
utside Ring Width B	75.000 mm	




Radius Rs min	4.000 mm
---------------	----------

Cr - Dynamic Load Rating 355 kN C0r - Static Load Rating 405 kN	Basic Load Ra	tings			-
COr - Static Load Rating 405 kN	Cr - Dyna	amic Load Rating	355 kN		
	C0r - Sta	tic Load Rating	405 kN		

Grease Reference Speed 2300 rpm	
Oil Reference Speed 3200 rpm	





METRIC UNITS

Weight

35.6 kg

THE TIMKEN COMPANY

NORTH CANTON, OHIO USA

6336

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 355000 405000

Ν

no F

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.