





ETA 4 1450 r.p.m



نیمب	قدرت		جریان A	قطر بروانه D (mm)	قطر فلاج نیمب (mm)		آبدهی (m³/h)	6	8	10	11	12	14	15	16	17	18	20	22	25	30	
	KW	HP			رانس	مکش		H (m)														
ETA4 40-125 G	0.25	0.3	0.78	110	40	65	H (m)	3.5	3.3	3	2.8	2.6	2.1	1.8	1.5	1.2	*	*	*	*	*	
ETA4 40-125 F	0.25	0.3	0.78	115	40	65		4	3.8	3.5	3.3	3.1	2.6	2.3	2	1.6	*	*	*	*	*	
ETA4 40-125 E	0.25	0.3	0.78	120	40	65		4.4	4.2	3.9	3.7	3.5	3	2.7	2.4	2	1.6	*	*	*	*	
ETA4 40-125 D	0.37	0.5	1	125	40	65		4.9	4.7	4.4	4.2	4	3.6	3.3	3	2.7	2.3	*	*	*	*	
ETA4 40-125 C	0.37	0.5	1	130	40	65		5.3	5.2	4.9	4.7	4.5	4.1	3.8	3.5	3.2	2.8	*	*	*	*	
ETA4 40-125 B	0.37	0.5	1	135	40	65		5.6	5.7	5.4	5.3	5.1	4.7	4.5	4.2	3.9	3.5	2.7	*	*	*	*
ETA4 40-125 A	0.37	0.5	1	139	40	65		6.2	6.1	5.9	5.7	5.5	5.1	5.9	4.6	4.3	3.9	3.2	*	*	*	*



نیمب	قدرت		جریان A	قطر بروانه D (mm)	قطر فلاج نیمب (mm)		آبدهی (m³/h)	6	7	8	9	10	11	12	13	14	15	16	17	18	20
	KW	HP			رانس	مکش		H (m)													
ETA4 40-160 E	0.25	0.3	0.78	130	40	65	H (m)	5.6	5.4	5.2	4.9	4.5	4	*	*	*	*	*	*	*	*
ETA4 40-160 D	0.37	0.5	1	140	40	65		6.7	6.6	6.4	6.2	5.9	5.6	5.2	4.7	4	*	*	*	*	*
ETA4 40-160 C	0.55	0.75	1	150	40	65		7.7	7.6	7.5	7.4	7.2	6.9	6.6	6.2	5.7	5.2	*	*	*	*
ETA4 40-160 B	0.75	1	2	160	40	65		8.8	8.7	8.6	8.5	8.4	8.2	8	7.7	7.4	7	6.5	5.8	*	*
ETA4 40-160 A	0.75	1	2	169	40	65		9.9	9.8	9.7	9.6	9.5	9.4	9.2	9	8.8	8.5	8.2	7.7	7.2	5.8





نیمب	قدرت		جریان A	قطر بروانه D (mm)	قطر فلاج نیمب (mm)		آبدهی (m³/h)	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	KW	HP			رانس	مکش		H (m)													
ETA4 40-200 E	0.55	0.75	1	170	40	65	H (m)	9.3	9.1	8.8	8.4	7.9	7.2	6.2	*	*	*	*	*	*	*
ETA4 40-200 D	0.75	1	1	180	40	65		10.6	10.4	10.2	9.9	9.5	8.9	8.2	7.4	6.6	*	*	*	*	*
ETA4 40-200 C	1.1	1.5	3	190	40	65		12	11.8	11.6	11.3	11	10.6	10.1	9.4	8.7	*	*	*	*	*
ETA4 40-200 B	1.1	1.5	3	200	40	65		13.3	13.2	13	12.8	12.6	12.3	11.9	11.4	10.8	10.2	9.4	8.4	*	*
ETA4 40-200 A	1.5	2	4	209	40	65		14.6	14.5	14.4	14.2	14	13.8	13.5	13.1	12.7	12.2	11.5	10.8	9.8	8.8





ETA 4 1450 r.p.m



تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		ابدهی m ³ /h	15	16	17	18	19	20	21	22	24	25	26	27	28	30
	KW	HP			راش	مکش		H (m)													
ETA4 40-250 F	1.1	1.5	3	210	40	65	H (m)	13	12.8	12.5	12.1	11.6	10.9	10.1	9.2	*	*	*	*	*	*
ETA4 40-250 E	1.5	2	4	220	40	65		14.7	14.5	14.2	13.9	13.6	13.1	12.6	12	10.5	9.5	*	*	*	*
ETA4 40-250 D	2.2	3	5	230	40	65		16.4	16.2	16	15.7	15.3	14.9	14.5	14	12.8	12.1	11.4	10.5	*	*
ETA4 40-250 C	3	4	7	240	40	65		18.9	18.7	18.4	18	17.6	17.2	16.7	16.2	15.1	14.5	13.8	13	12	*
ETA4 40-250 B	3	4	7	250	40	65		20.8	20.7	20.5	20.2	19.8	19.4	19	18.6	17.7	17.2	16.6	15.8	15	13.2
ETA4 40-250 A	4	5.5	9	259	40	65		22.8	22.7	22.5	22.2	21.9	21.6	21.3	21	20.1	19.6	19.1	18.4	17.7	16



تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		ابدهی m ³ /h	6	7	8	9	10	11	11	12	13	14	15	15	16	17
	KW	HP			راش	مکش		H (m)													
ETA4 40-315 F	2.2	3	5	270	40	65	H (m)	24.2	23.9	23.7	23.3	22.6	22.1	21.3	19.1	*	*	*	*	*	*
ETA4 40-315 E	2.2	3	5	280	40	65		26.7	26.4	26	25.7	25.2	24.8	24.3	22.9	20.7	18	*	*	*	*
ETA4 40-315 D	3	4	7	290	40	65		29	28.7	28.5	28.2	27.8	27.5	27.1	26.1	24.8	22.4	20.7	19	*	*
ETA4 40-315 C	4	5.5	9	300	40	65		31	30.9	30.8	30.7	30.4	30.1	29.7	28.8	27.5	25.5	24	22	*	*
ETA4 40-315 B	4	5.5	9	310	40	65		34.2	34.1	34	33.9	33.8	33.6	33.4	32.7	31.4	29.3	27.9	26.5	23	*
ETA4 40-315 A	4	5.5	9	319	40	65		37.4	37.3	37.2	37	36.7	36.5	36.2	35.5	34.4	33.1	32.1	31	28	24





تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		ابدهی m ³ /h	10	12	15	17.5	20	22.5	25	26	28	30	33	35	37	39
	KW	HP			راش	مکش		H (m)													
ETA4 50-160 E	0.55	0.75	1	130	50	65	H (m)	5.2	5.1	4.9	4.7	4.4	*	*	*	*	*	*	*	*	*
ETA4 50-160 D	0.55	0.75	1	140	50	65		6.2	6.1	5.9	5.7	5.4	5	4.6	4.4	*	*	*	*	*	*
ETA4 50-160 C	0.75	1	1	150	50	65		7.2	7.1	6.9	6.7	6.4	6	5.6	5.4	5	4.6	*	*	*	*
ETA4 50-160 B	1.1	1.5	3	160	50	65		8.2	8.1	7.9	7.7	7.4	7	6.6	6.4	6	5.6	5	*	*	*
ETA4 50-160 A	1.5	2	4	169	50	65		9.2	9.1	8.9	8.7	8.4	8.1	7.6	7.4	7	6.6	6	5.5	5	4.5





ETA 2900 r.p.m



تیب پمپ	قدرت		جریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		آبدهی (m ³ /h)	10	13	15	18	20	23	25	28	30	33	35	38	40	43	
	KW	HP			رانس	مکش																
ETA 40-125 G	1.5	2	3	110	40	50	H (m)	14.5	14	13.5	12.9	12.2	11.3	10.2	8.8	7	*	*	*	*	*	
ETA 40-125 F	1.5	2	3	115	40	50		16.5	16	15.4	14.8	14.1	13.1	12	10.7	9	7	*	*	*	*	*
ETA 40-125 E	2.2	3	5	120	40	50		18	17.6	17.2	16.7	16	15.2	14.2	13	11.3	9.3	7.1	*	*	*	*
ETA 40-125 D	2.2	3	5	125	40	50		20.2	19.7	19.3	18.7	18	17.1	16.1	15	13.6	11.9	10	8	*	*	*
ETA 40-125 C	3	4	6	130	40	50		21.9	21.5	21	20.4	19.7	18.9	18	17	15.6	14	12	10	*	*	*
ETA 40-125 B	3	4	6	135	40	50		24	23.5	23	22.4	21.7	20.9	20	19	17.6	16.1	14.5	12.7	10.7	*	*
ETA 40-125 A	3	4	6	139	40	50		25.5	25	24.5	23.9	23.2	22.4	21.5	20.5	19.3	18	16.5	14.9	13	10.5	*



تیب پمپ	قدرت		جریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		آبدهی (m ³ /h)	10	13	15	18	20	23	25	28	30	33	35	38	40	42	
	KW	HP			رانس	مکش																
ETA 40-160 E	2.2	3	5	130	40	65	H (m)	23	22.5	21.6	20.2	18.3	16	*	*	*	*	*	*	*	*	*
ETA 40-160 D	3	4	6	140	40	65		27	26.5	25.9	25	23.6	21.7	19	16	*	*	*	*	*	*	*
ETA 40-160 C	4	5.5	8	150	40	65		31	30.5	30	29.3	28.5	27.3	25.4	23	20.5	17.9	*	*	*	*	*
ETA 40-160 B	5.5	7.5	11	160	40	65		35.4	35	34.5	34.1	33.5	32.8	31.8	30.2	28	25.1	22	19	*	*	*
ETA 40-160 A	5.5	7.5	11	169	40	65		39.7	39.5	39	38.5	37.9	37.3	36.6	35.6	34	32	29.5	27	24	21.5	*





تیب پمپ	قدرت		جریان A	قطر پروانه D (mm)	قطر فلنج پمپ (mm)		آبدهی (m ³ /h)	5	10	13	15	18	20	22	23	25	28	30	33	35	39	
	KW	HP			رانس	مکش																
ETA 40-200 E	4	5.5	8	170	40	65	H (m)	39	38.4	37.6	36.3	34.5	32	30	28.5	24	*	*	*	*	*	
ETA 40-200 D	5.5	7.5	11	180	40	65		43.9	43	42.2	41.3	39.9	37.5	35.8	34.4	31	27	*	*	*	*	*
ETA 40-200 C	7.5	10	15	190	40	65		49	48.1	47.5	46.8	45.8	44.3	43	41.8	39	35.6	31.8	27.9	*	*	*
ETA 40-200 B	11	15	22.5	200	40	65		54.5	54	53.5	52.7	51.7	50.2	49.2	48.4	46.3	43.7	40	36	31	*	*
ETA 40-200 A	11	15	22.5	209	40	65		59.5	59	58.7	58.2	57.6	56.5	55.7	55	53	50.9	48.1	44.9	40.9	33	*





ETA 2900 r.p.m

تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	10	15	20	23	25	30	35	38	40	43	45	50	55	56		
	KW	HP			رانس	مکش		10	15	20	23	25	30	35	38	40	43	45	50	55	56		
ETA 40-250 F	11	15	22.5	210	40	65	H (m)	58	57	55.6	54.9	54.2	52.5	49	46.7	44	40.2	*	*	*	*		
ETA 40-250 E	15	20	30	220	40	65		64.8	64	63	62.5	62	60	56.7	54.5	51.9	48.9	46	*	*	*	*	
ETA 40-250 D	15	20	30	230	40	65		71	70.5	69.5	69	68.5	67	64.1	61.9	59.4	56.7	53.5	47.5	*	*	*	*
ETA 40-250 C	18.5	25	36	240	40	65		79.9	79	78	77.5	77	76	73	71	68.6	65.7	62.5	56	*	*	*	*
ETA 40-250 B	22	30	42.5	250	40	65		87	86.5	86	85.5	85	83.9	81.8	80.1	78	75.6	73.1	67.6	60	58.3		
ETA 40-250 A	22	30	42.5	259	40	65		94	93.5	93	92.5	92	90.9	89	87.9	86.5	85	83	78.6	71.9	70.3		



تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	10	20	25	30	35	40	45	47.5	50	55	60	65	70	76	
	KW	HP			رانس	مکش		10	20	25	30	35	40	45	47.5	50	55	60	65	70	76	
ETA 50-160 E	4	5.5	8	130	50	65	H (m)	21.7	21.2	20.9	20.3	19.5	18.4	17.2	*	*	*	*	*	*	*	*
ETA 50-160 D	5.5	7.5	11	140	50	65		24.9	24.7	24.5	24	23.4	22.5	21.4	20.7	20.1	18.7	*	*	*	*	*
ETA 50-160 C	7.5	10	15	150	50	65		28.5	28.4	28.2	28	27.7	27.2	26.4	25.9	25.3	23.9	21.9	*	*	*	*
ETA 50-160 B	7.5	10	15	160	50	65		32.5	32.3	32.2	32	31.7	31.3	30.7	30.3	29.9	29	27.7	26.2	24.3	*	*
ETA 50-160 A	11	15	22.5	169	50	65		36.6	36.4	36.2	36	35.7	35.3	34.8	34.5	34.2	33.5	32.6	31.5	30	28	



تیپ پمپ	قدرت		حریان A	قطر پروانه D (mm)	قطر فلانچ پمپ (mm)		آبدهی (m ³ /h)	20	30	40	45	47.5	50	60	65	70	72.5	75	80	85	91	
	KW	HP			رانس	مکش		20	30	40	45	47.5	50	60	65	70	72.5	75	80	85	91	
ETA 50-200 E	7.5	10	15	170	50	65	H (m)	37.3	36.5	34.5	33	32.1	30.9	25	*	*	*	*	*	*	*	*
ETA 50-200 D	11	15	22.5	180	50	65		42.7	41.5	40	38.4	37.6	36.7	32.5	30	*	*	*	*	*	*	*
ETA 50-200 C	11	15	22.5	190	50	65		47.5	46.6	45.5	44.3	43.6	42.8	39.5	37.5	35.1	33.6	31.8	*	*	*	*
ETA 50-200 B	15	20	30	200	50	65		52.6	52	51.1	50.2	49.6	49	46.3	44.7	42.7	41.4	40	37.1	*	*	*
ETA 50-200 A	18.5	25	36	209	50	65		57.7	57	56	55.4	55.1	54.7	52.5	51.1	49.5	48.5	47.4	45	42.5	38.5	

